



Alexander Industries, Inc.

Manufacturers of Food Service Equipment

FACTORY

FOB Point
905 W 23rd Street
Hialeah, FL 33010

TELEPHONE

(850) 535-1000
1-(800) 790-1948

FAX

(850) 535-0020

OFFICE

Remit to Address
P.O. Box 502
Vernon, FL 32462



1-800-790-1948 • Visit us online www.alexanderindustries.net

END LOADING BUN PAN RACK

NSF®

Bun Pan Rack End Loading

"Ours is an Industry Standard"

- 1" square aluminum upright and cross member grade 6061-T6 extrusion.
- Tray runner $1\frac{7}{8}$ " x $1\frac{7}{8}$ " aluminum grade 6061-T6 extrusion.
- Connecting brackets: Manufactured from 100 thickness 3003-H-14 high tensile aluminum stamping.
- Rivets: High tensile aluminum aircraft quality rivets.
- Casters: 5" diameter swivel ball bearing, non-marking hard rubber tires.
- Shipped knocked down F.O.B. factory, factory assembled optional.

Optional Accessories:

- Donut Bumpers
- Tray Stopper
- Sanitary Rack Cover
- Two (2) Locking Casters



E-401

NO.	SLIDE SPACING	CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
E-400	5"	11-18"x26"	68"	26"	20"	32
E-401	3"	18-18"x26"	68"	26"	20"	35
E-402	3"	20-18"x26"	74"	26"	20"	38
E-403	2"	24-18"x26"	68"	26"	20"	41
E-404	1½"	30-18"x26"	68"	26"	20"	46

1-800-790-1948 • Visit us online www.alexanderindustries.net

Bun Pan Rack End Loading

Work Table Height



T-421

- 1" square aluminum upright and cross member grade 6061-T6 extrusion.
- Tray runner 1 $\frac{7}{16}$ " x 1 $\frac{7}{8}$ " aluminum grade 6061-T6 extrusion.
- Connecting brackets: for Bun pan shelves – included. Manufactured from 100 thickness 3003-H-14 high tensile aluminum stamping.
- Rivets: High tensile aluminum aircraft quality rivets.
- Casters: 5" diameter swivel ball bearing, non-marking hard rubber tires.
- Shipped knocked down F.O.B. factory, factory assembled optional.

Optional Accessories:

- Donut Bumpers
- Tray Stopper
- Sanitary Rack Cover
- Two (2) Locking Casters
- Plastic Cutting Board

NO.	SLIDE SPACING	CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
T-420	4"	6-18"x26"	35"	26"	20"	30
T-421	3"	7-18"x26"	35"	26"	20"	32
T-422	2"	12-18"x26"	35"	26"	20"	34
T-423	1 $\frac{1}{2}$ "	16-18"x26"	35"	26"	20"	36



U-400

Universal Open Rack

For
18" x 26" Bun Pans
14" x 18" Trays
12" x 20" Pans

- This rack accommodates 18" x 26" bun pans, 20" x 24" trays, 12" x 20" x 2½" or 4" deep pans.
- 1½" square aluminum upright and cross member grade 6061-T6 extrusion.
- Tray slides rivets and welded.
- Tray slides 1" x 4" .093 aluminum.
- Casters: 5" diameter swivel ball bearing, non-marking hard rubber tires.
- Shipped knocked down F.O.B. factory, factory assembled optional.
- 1200 lb. load capacity.

Optional Accessories:

- Donut Bumpers
- Tray Stopper
- Sanitary Rack Cover
- Two (2) Locking Casters

NO.	SLIDE SPACING	TRAY CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
U-400	5"	11	68"	26"	23"	45

SOLID SIDES BUN PAN RACK



Solid Sides Bun Pan Rack

"Stor-more"

- 1" square aluminum upright and cross member grade 6061-T6 extrusion.
- Side panels .078 wall 6063-T6 extrusion, 1½" spacing.
- Connecting brackets: Manufactured from .100 thickness 3003-H-14 high tensile aluminum stamping.
- Rivets: High tensile aluminum aircraft quality rivets and welded.
- Casters: 5" diameter swivel ball bearing, non-marking hard rubber tires.
- Shipped knocked down F.O.B. factory, factory assembled optional.

Optional Accessories:

- Donut Bumpers
- Tray Stopper
- Sanitary Rack Cover
- Two (2) Locking Casters



EL-40

NO.	SLIDE SPACING	CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
EL-36	1½"	36-18"x26"	69"	26"	21¼"	55
EL-40	1½"	40-18"x26"	75"	26"	21¼"	60

1-800-790-1948 • Visit us online www.alexanderindustries.net

ROLL IN REFRIGERATOR RACK



Roll In Refrigerator Rack

For 18" x 26" Bun Pans



R-401

- 1" square aluminum upright and cross member grade 6061-T6 extrusion.
- Tray runner $1\frac{7}{16}$ " x $1\frac{7}{8}$ " aluminum grade 6061-T6 extrusion.
- Connecting brackets: Manufactured from .100 thickness 3003-H-14 high tensile aluminum stamping.
- Rivets: High tensile aluminum aircraft quality rivets.
- Casters: 5" diameter swivel ball bearing, non-marking hard rubber tires.
- Bottom: solid $\frac{1}{8}$ " thick aluminum shipped fully assembled.

Optional Accessories:

- Tray Stopper
- Sanitary Rack Cover
- Two (2) Locking Casters

NO.	SLIDE SPACING	CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
R-300	5"	11	63"	26"	20½"	45
R-400	4"	14	63"	26"	20½"	48
R-401	3"	19	63"	26"	20½"	51
R-402	2"	27	63"	26"	20½"	54

1-800-790-1948 • Visit us online www.alexanderindustries.net

SOLID SIDES REFRIGERATOR RACK



Solid Sides Refrigerator Rack

"KEEP IT COOL AND CLEAN"

- 1½" square aluminum upright and cross member grade 6061-T6 extrusion.
- Connecting brackets: Manufactured from .100 thickness 3003-H-14 high tensile aluminum stamping.
- Rivets: High tensile aluminum aircraft quality rivets and heli arc welded.
- Casters: 5" diameter swivel ball bearing, non-marking hard rubber tires.
- Bottom: Platform type solid ⅛" thick aluminum.

FOR 18" x 26" BUN PANS

Optional Accessories:

- Corner Bumpers
- Tray Stopper
- Sanitary Rack Cover
- Two (2) Locking Casters



RL-36

NO.	SLIDE SPACING	TRAY CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
RL-36	1½"	32	61"	26"	20¼"	65

1-800-790-1948 • Visit us online www.alexanderindustries.net



TR-600

Aluminum Tray Rack "Prepared Meals"

For 15" x 20" Trays
Two Per Slide

- 1" square aluminum upright and cross member grade 6061-T6 extrusion.
- Tray runner $1\frac{7}{16}$ " x $1\frac{7}{8}$ " aluminum grade 6061-T6 extrusion.
- Connecting brackets: Manufactured from .100 thickness 3003-H-14 high tensile aluminum stamping.
- Rivets: High tensile aluminum aircraft quality rivets.
- Casters: 5" diameter swivel ball bearing, non-marking hard rubber tires.
- Shipped knocked down F.O.B. factory, factory assembled optional.

Optional Accessories:

- Donut Bumpers
- Tray Stopper
- Sanitary Rack Cover
- Two (2) Locking Casters

NO.	SLIDE SPACING	CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
TR-600	5"	22	68"	30"	24"	32
TR-601	3"	36	68"	30"	24"	35



PA-500

Aluminum Pan Rack

Any Depth 12" x 20"
Pan will fit this unit.

Two Per Slide

- 1" square aluminum upright and cross member grade 6061-T6 extrusion.
- Tray runner 1 $\frac{7}{16}$ " x 1 $\frac{7}{8}$ " aluminum grade 6061-T6 extrusion.
- Connecting brackets: Manufactured from .100 thickness 3003-H-14 high tensile aluminum stamping.
- Rivets: High tensile aluminum aircraft quality rivets.
- Casters: 5" diameter swivel ball bearing, non-marking hard rubber tires.
- Shipped knocked down F.O.B. factory, factory assembled optional.

Optional Accessories:

- Donut Bumpers
- Tray Stopper
- Sanitary Rack Cover
- Two (2) Locking Casters

NO.	SLIDE SPACING	TRAY CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
PA-500	3"	36	68"	26"	22"	35

MOBILE OVAL TRAY RACK

NSF[®]

Mobile Oval Tray Rack



- 1½" square aluminum upright and cross member grade 6061-T6 extrusion.
- Tray runner 1" x 4" .093 aluminum grade 6061-T6 extrusion.
- Connecting brackets: Manufactured from .100 thickness 3003-H-14 high tensile aluminum stamping.
- Rivets: High tensile aluminum aircraft quality rivets and welded.
- Casters: 5" diameter swivel ball bearing, non-marking hard rubber tires.
- Shipped knocked down F.O.B. factory, factory assembly optional.

Optional Accessories:

- Donut Bumpers
- Tray Stopper
- Sanitary Rack Cover
- Two (2) Locking Casters


NO.	SLIDE SPACING	TRAY CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	TRAY SIZE	APPROX. SHIP WT.
OV-700	6"	10	71"	26"	25"	22"	45
OV-701	6"	10	71"	26"	26"	23"	45
OV-702	6"	10	71"	26"	27"	24"	45

1-800-790-1948 • Visit us online www.alexanderindustries.net

MOBILE CUP & GLASS RACK



Mobile Cup & Glass Rack



CG-100

- 1" square aluminum upright and cross member grade 6061-T6 extrusion.
- Tray runner $1\frac{1}{16}$ " x $1\frac{7}{8}$ " aluminum grade 6061-T6 extrusion.
- Connecting brackets: Manufactured from .100 thickness 3003-H-14 high tensile aluminum stamping.
- Rivets: High tensile aluminum aircraft quality rivets.
- Casters: 5" diameter swivel ball bearing, non-marking hard rubber tires.
- Shipped knocked down F.O.B. factory, factory assembly optional.

FOR 20" x 20" TRAYS (NOT INCLUDED)

Optional Accessories:

- Donut Bumpers
- Tray Stopper
- Sanitary Rack Cover
- Two (2) Locking Casters

NO.	SLIDE SPACING	TRAY CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
CG-100	6½"	8	62"	22½"	22½"	35

1-800-790-1948 • Visit us online www.alexanderindustries.net

Sanitary Rack Cover

**Keeps Product & Equipment
Dust Proof**

- Protects your foods from airborne bacteria, insects, humidity and drafts.
- Cover is constructed of transparency, heavy duty polished vinyl with four heavy duty zippers to accelerate movement of the product.
- Standard size: 23" x 28" x 58" fits our E-401.
- Other sizes available for all our carts.
- Custom covers available.
- We make covers for all our carts and shelf units.



SRC-1826

End Loading Bun Pan Rack



HDE-402

- 1½" Square aluminum uprights and cross member grade 6061-T6 extrusion.
- Tray runner 1" x 2" aluminum grade 6061-T6 extrusion.
- All welded construction.
- Casters: 5" diameter, swivel ball bearing, non-marking hard rubber tires.
- Shipped fully assembled F.O.B. factory.
- 1200 lb. load capacity.

Optional Accessories:

- Donut Bumpers
- Tray Stopper
- Sanitary Rack Cover
- Two (2) Locking Casters

NO.	SLIDE SPACING	CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
HDE-400	5"	12-18"x26"	72"	26"	21"	40
HDE-402	3"	20-18"x26"	72"	26"	21"	45
HDE-403	2"	30-18"x26"	72"	26"	21"	52



HDP A-500

Aluminum Rack

12" x 20" Trays

Two Per Slide

- 1½" square aluminum uprights and cross member grade 6061-T6 extrusion.
- Tray runner 1" x 2" aluminum grade 6061-T6 extrusion.
- All welded construction.
- Casters: 5" diameter, swivel ball bearing, non-marking hard rubber tires.
- Shipped fully assembled F.O.B. factory.
- 1200 lb. load capacity.

Optional Accessories:

- Donut Bumpers
- Tray Stopper
- Sanitary Rack Cover
- Two (2) Locking Casters

NO.	SLIDE SPACING	TRAY CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
HDP A-500	20"	40	72"	26"	26"	40

HEAVY DUTY ALUMINUM TRAY RACK



Heavy Duty Aluminum Tray Rack

For 15" x 20" Trays
Two Per Slide



HDTR-601

- 1" square aluminum upright and cross member grade 6061-T6 extrusion.
- Tray runner $1\frac{7}{16}$ " x $1\frac{7}{8}$ " aluminum grade 6061-T6 extrusion.
- Slides riveted and welded.
- Casters: 5" diameter swivel ball bearing, non-marking hard rubber tires.
- Shipped fully assembled F.O.B. factory.
- 1200 lb. load capacity.

Optional Accessories:

- Donut Bumpers
- Tray Stopper
- Sanitary Rack Cover
- Two (2) Locking Casters

NO.	SLIDE SPACING	CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
HDTR-600	5"	24	72"	26"	23½"	42
HDTR-601	3"	40	72"	26"	23½"	50

1-800-790-1948 • Visit us online www.alexanderindustries.net

HEAVY DUTY MOBILE OVAL TRAY RACK



HDOV-700

Mobile Oval Tray Rack

- 1½" Square aluminum uprights and cross member grade 6061-T6 extrusion .093 aluminum.
- Tray runner 1" x 4" x .093 aluminum grade 6061-T6 extrusion.
- All welded construction.
- Casters: 5" diameter, swivel ball bearing, non-marking hard rubber tires.
- Shipped fully assembled F.O.B. factory.
- 1200 lb. load capacity.

SPECIFY SIZE OF OVAL TRAY
WHEN ORDERING.

Optional Accessories:

- Donut Bumpers
- Tray Stopper
- Sanitary Rack Cover
- Two (2) Locking Casters

NO.	SLIDE SPACING	CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	TRAY SIZE	APPROX. SHIP WT.
HDOV-700	6"	10	71"	26"	26"	22"	51
HDOV-701	6"	10	71"	26"	26"	23"	51
HDOV-702	6"	10	71"	26"	26"	24"	51

1-800-790-1948 • Visit us online www.alexanderindustries.net

HEAVY DUTY POLY BOX TRANSPORT CART

NSF®

Poly Box Transport Cart



HD-2414

- Rack accepts 18" x 26" poly boxes.
- 1½" Square aluminum upright and cross member grade 6061-T6 extrusion.
- All welded construction.
- Shipped fully assembled F.O.B. factory.
- Load capacity 2000 lbs.

Optional Accessories:

- Donut Bumpers
- Tray Stopper
- Sanitary Rack Cover
- Two (2) Locking Casters

NO.	BOX CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
HD-2414	12	67"	27"	23½"	40

1-800-790-1948 • Visit us online www.alexanderindustries.net

HEAVY DUTY BUN PAN UTILITY RACK

NSF®

Solid Sides Bun Pan Utility Rack



- 1½" square aluminum upright and cross member grade 6061-T6 extrusion.
- Side panels .078 wall 6063-T6 extrusion, 1½" spacing.
- All welded construction.
- Casters: 5" diameter swivel ball bearing, non-marking hard rubber tires.
- Shipped fully assembled F.O.B. factory.
- 1200 lb. load capacity.

Optional Accessories:

- Donut Bumpers
- Tray Stopper
- Sanitary Rack Cover
- Two (2) Locking Casters


NO.	SLIDE SPACING	TRAY CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
HDEL-40	1½"	40	72"	26"	21¼"	60

1-800-790-1948 • Visit us online www.alexanderindustries.net

HEAVY DUTY NESTING PAN RACKS



Nesting Pan Racks



NESTING

- All of our Heavy Duty Racks are now available in NESTING CONSTRUCTION at same price.
- Just specify "NESTING" after part number.
- Example: *HDE-402-NESTING*
- Shipped fully assembled F.O.B. factory.

1-800-790-1948 • Visit us online www.alexanderindustries.net

HEAVY DUTY BUN PAN RACK



Double Capacity Racks



HDE-402-DD

- 1 1/2" square aluminum upright and cross member grade 6061-T6 extrusion.
- Tray runner 1" x 2" aluminum grade 6061-T6 extrusion.
- All welded construction.
- Shipped fully assembled F.O.B. factory.
- All our HD carts are now available double capacity with platform 5" casters.
- For ordering refer to HD P/N and add -DD
example: HDE-402-DD
- Load capacity 2000 lbs.

Optional Accessories:

- Donut Bumpers
- Tray Stopper
- Sanitary Rack Cover
- Two (2) Locking Casters

Transport Cabinet



A-360

- Heavy Duty 5" casters.
- Will accommodate 18" x 26" bun pans or two 13" x 18" pans.
- Sanitary transportation of foods while delivering greater loads in fewer trips.
- Constructed of aluminum, 3003-H-14 heli-arc welded.
- Pan supports are spaced at 1½" center.
- Shipped fully assembled F.O.B. factory.
- Extra heavy duty bolted and welded hinges.

NO.	TRAY CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
A-360	40	70"	28"	22"	85 lb.

HEAVY DUTY DUNNAGE RACK



HDN-1848

Dunnage Rack

Up to 2000 lb. Capacity

NO.	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
HDN-1824	12"	24"	18"	6
HDN-1836	12"	36"	18"	7
HDN-1848	12"	48"	18"	8
HDN-1860	12"	60"	18"	10
HDN-2024	12"	24"	20"	6
HDN-2036	12"	36"	20"	7
HDN-2048	12"	48"	20"	8
HDN-2060	12"	60"	20"	10
HDN-2424	12"	24"	24"	7
HDN-2436	12"	36"	24"	8
HDN-2448	12"	60"	24"	10
*HDN-2460	12"	60"	24"	10
* CANNOT BE SHIPPED UPS				

- Will hold up to 2,000 lbs.
- 12" Overall height conforms to health codes.
- All welded construction 1½" square tubing .063 thickness 6061-T6 aluminum.
- Shipped fully assembled F.O.B. factory.
- Other sizes available upon request.

1-800-790-1948 • Visit us online www.alexanderindustries.net

HEAVY DUTY COOLER & FREEZER RACK

NSF®

Cooler & Freezer Rack

You Can't Put Enough On It!



SU-4-4

- All 1½" square aluminum construction.
- Will handle heavy load without sagging.
- Ideal for cooler rooms and freezer storage.
- Lightweight for easy moving from one cooler to another.
- All heli arc welded.
- Up to 2,000 lb. capacity – Weight Equally Distributed
- Shipped fully assembled F.O.B. factory.
- CANNOT BE SHIPPED UPS

Optional Accessory:

- 5" Platform Casters

NO.	NO. OF SHELVES	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
SU-3-2	2"	60"	36"	21"	30
SU-4-2	2"	60"	48"	21"	32
SU-5-2	2"	60"	60"	21"	34
SU-3-3	3"	60"	36"	21"	34
SU-4-3	3"	60"	48"	21"	36
SU-5-3	3"	60"	60"	21"	38
SU-3-4	4"	60"	36"	21"	42
SU-4-4	4"	60"	48"	21"	44
SU-5-4	4"	60"	60"	21"	46

1-800-790-1948 • Visit us online www.alexanderindustries.net



SUKD-4-4-20

Cooler & Freezer Shelf Units

Knocked Down Models

- Shelves constructed of 1½" square with .0093 wall aluminum tube.
- Legs 1¼" o.d. x .125 wall aluminum tube with plastic caps at both ends.
- Adjustable shelves.
- Fast assembly with only 4 set screws per shelf.
- Other sizes available.
- 20" Wide shelves have four tube supports
- 24" Wide shelves have five tube supports
- Load capacity 2,000 lbs.
- Shipped knocked down F.O.B. factory.

NO.	NO. OF SHELVES	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
SUKD-3-2-20	2"	60"	36"	20"	16
SUKD-3-2-24	2"	60"	36"	24"	18
SUKD-4-2-20	2"	60"	48"	20"	18
SUKD-4-2-24	2"	60"	48"	24"	20
SUKD-5-2-20	2"	60"	60"	20"	20
SUKD-5-2-24	2"	60"	60"	24"	22
SUKD-3-3-20	3"	60"	36"	20"	32
SUKD-3-3-24	3"	60"	36"	24"	34
SUKD-4-3-20	3"	60"	48"	20"	34
SUKD-4-3-24	3"	60"	48"	24"	36
SUKD-5-3-20	3"	60"	60"	20"	42
SUKD-5-3-24	3"	60"	60"	24"	45
SUKD-3-4-20	4"	60"	36"	20"	40
SUKD-3-4-24	4"	60"	36"	24"	46
SUKD-4-4-20	4"	60"	48"	20"	48
SUKD-4-4-24	4"	60"	48"	24"	52
SUKD-5-4-20	4"	60"	60"	20"	54
SUKD-5-4-24	4"	60"	60"	24"	56

Keg Rack Knocked Down Model



SUK-48

- Shelves constructed of 1 ½" square with .093 wall aluminum tube.
- Legs 1 ¼" od x .125 wall aluminum tube with plastic caps at both ends.
- Shipped knocked down F.O.B. Factory.
- Load capacity 6 Kegs.
- CUSTOM SIZES AVAILABLE

NO.	CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
SUK-48	6	62½"	20"	48"	45
SUK-60	6	76"	18"	60"	52



BPT-100

Bun Pan Transport Cart

- This rack accommodates 18" x 26" bun pans
- 1½" Square aluminum uprights and cross members grade 6061-T6 extrusion.
- All welded construction. Set up ready for use.
- Casters: 5" dia., swivel ball bearing, non-marking hard rubber tires with two brakes.
- Shipped set up F.O.B. factory.
- 2500 lb. load capacity.

NO.	TRAY CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
BPT-100	114	68"	28"	26"	42

Oval Tray Transport Cart

- This rack accommodates: 19", 22" and 23" Oval Trays
- Other sizes available.
- 1½" Square aluminum uprights and cross member grade 6061-T6 extrusion.
- All welded construction.
- Casters: 5" dia., swivel ball bearing, non-marking hard rubber tires with two brakes.
- Shipped set up F.O.B. factory.
- 2500 lb. load capacity.



OTT-100

NO.	TRAY CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
OTT-100	112	68"	28"	26"	44

HEAVY DUTY CAN DISPENSER RACK

NSF[®]

First in First out, Loads and emptys from the front.

For #5 and/or #10 cans

- 1½" Square aluminum uprights and cross member .093 aluminum.
- Tray runner 1" x 2" .093 aluminum.
- Rivets: High tensile aluminum and welded.
- Adjustable feet
- Cross members welded to uprights.
- Shipped fully assembled F.O.B. factory.

Optional Accessory:

- 5" Platform Casters



CR427FF

NO.	CAN CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
CR427FF	144	76"	36"	28.5"	80 lb.


1-800-790-1948 • Visit us online www.alexanderindustries.net

HEAVY DUTY CAN DISPENSER RACK



Can Dispenser Rack

For #5 or #10 cans



CR-426

- 1½" Square aluminum uprights and cross member.
- Tray runner 1⅞" x 1⅞"
- Rivets: High tensile aluminum.
- Adjustable feet.
- Cross members welded to uprights.
- Shipped fully assembled F.O.B. factory.
- Shipping cubic feet: 44.0

Optional Accessory:

- 5" Platform Casters

NO.	CAN CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
CR-426	#5 - 216 #10 - 162	75"	36"	28½"	80

1-800-790-1948 • Visit us online www.alexanderindustries.net

HEAVY DUTY CAN DISPENSER RACK



Can Dispenser Rack

Work Table Height
for #5 and/or #10 Cans



CR-424



CR-425

- $\frac{3}{4}$ " Thick plastic cutting board top.
- $1\frac{1}{2}$ " Square aluminum uprights and cross member.
- Tray runner: $1\frac{7}{16}$ " x $1\frac{7}{8}$ "
- Rivets: High tensile aluminum.
- Adjustable feet or 5" heavy duty casters.
- Cross members welded to uprights.
- Shipped fully assembled F.O.B. factory.
- Can opener available.

NO.	SLIDE SPACING	CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
CR-424 w/casters	1½"	54	36"	36"	28½"	45
CR-425 w/o casters	1½"	72	39"	36"	28½"	43

1-800-790-1948 • Visit us online www.alexanderindustries.net

HEAVY DUTY TRAY DRYING RACK



Tray Drying Rack



TDR-4-DC

- Shelves constructed of 1½" square .093 aluminum tube.
- Shelves tray slides on 1½" spacing interlocking panels welded to frame.
- Legs 1¼" O.D. x .133 wall x 62" long tube caps at both ends.
- Adjustable to accommodate any size tray.
- Shipped knocked down or set up F.O.B. factory.
- Shelves dimensions 26" x 62" will accommodate 240 trays two per slide.

NO.	TRAY CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
TDR-4-DC	132	66"	26"	62"	210

1-800-790-1948 • Visit us online www.alexanderindustries.net



Alexander Industries, Inc.

Manufacturers of Food Service Equipment

FACTORY

FOB Point

905 W 23rd Street
Hialeah, FL 33010

OFFICE

Remit to Address

P.O. Box 502
Vernon, FL 32462

Telephone: 1-(800) 790-1948 • (850) 535-1000 • Fax: (850) 535-0020

WARRANTY

ALEXANDER INDUSTRIES, INC., warrants all equipment to be free of defective material or workmanship for a period of five (5) years; and casters are warranted for one (1) year from date of purchase. This warranty is limited to repair or replacement of any unit found to be defective, provided it is returned to ALEXANDER INDUSTRIES, INC., 905 West 23rd Street, Hialeah, Florida 33010. Further, this warranty is void on any unit which shows evidence of misuse, abuse or alteration. Each unit has been carefully inspected prior to packaging and shipment, and a thorough inspection has been made. Any damage or shortages should be reported to the carrier, not to the manufacturer.

Removing the ALEXANDER label will release us from all obligations hereunder or any other obligations expressed or implied. The manufacturer assumes no liability for warranty conditions, expressed or implied, other than those specifically described hereon.

Prices subject to change without notice.

TERMS: 1% – 10 Days, Net 30 Days

FREIGHT: All shipments are F.O.B. Hialeah, Florida.

TERMS AND CONDITIONS

1. All orders are subject to acceptance by Alexander Industries, Inc., and must be made in writing.
2. Unless specified by the customer when ordering, the method of shipment will be determined by Alexander Industries, Inc.
3. The customer shall be liable for all Federal, State, and Local Taxes. These amounts will be added to the purchase price.
4. Claims for shortages or incorrect merchandise must be made in writing within ten (10) days after receipt of merchandise.
5. FREIGHT DAMAGE IS NOT THE RESPONSIBILITY OF ALEXANDER INDUSTRIES, INC. Any claim for damaged merchandise must be processed through the delivering carrier by the consignee.
6. All cancelled orders and returned goods will be subject to a minimum restocking charge of fifteen percent (15%). Merchandise may not be returned without written authorization. Requests for return must be made within ninety (90) days after shipment. Modified units cannot be returned.
7. Prices and specifications are subject to change without notice.
8. All orders will be manufactured as specified in the Alexander Industries, Inc. Order Acknowledgement. If corrections or additions are required by the customer, Alexander Industries, Inc. must be advised in writing within three (3) days of the date on the Alexander Industries, Inc. Order Acknowledgement. If this is not done, it is assumed by Alexander Industries, Inc. that the customer has examined and approved the acknowledgement as written.
9. Prices are F.O.B. factory, Hialeah, Florida.



1-800-790-1948 • Visit us online www.alexanderindustries.net

HEAVY DUTY ALUMINUM TRAY RACK



Heavy Duty Aluminum Tray Rack

For 15" x 20"

Room Service

Round Edge Trays

Two Per Slide



HDTR-600-R

- 1" square aluminum upright and cross member grade 6061-T6 extrusion.
- Tray runner 1" x 4" aluminum grade 6061-T6 extrusion.
- Slides riveted and welded.
- Casters: 5" diameter swivel ball bearing, non-marking hard rubber tires.
- Shipped fully assembled F.O.B. factory.
- 1200 lb. load capacity.

Optional Accessories:

- Donut Bumpers
- Tray Stopper
- Sanitary Rack Cover
- Two (2) Locking Casters

NO.	SLIDE SPACING	CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
HDTR-600-R	5"	24	72"	30"	23½"	42
HDTR-600-R	3"	40	72"	30"	23½"	50

1-800-790-1948 • Visit us online www.alexanderindustries.net

SIDE LOADING BUN PAN RACK

NSF®

Bun Pan Rack Side Loading

For The "Wide Pan" User

26" x 18"



S-411

- 1" square aluminum uprights and cross member grade 6061-T6 extrusion.
- Tray runner 1 $\frac{7}{16}$ " x 1 $\frac{7}{8}$ " aluminum grade 6061-T6 extrusion.
- Connecting brackets: Manufactured from .100 thickness 3003-H-14 high tensile aluminum stamping.
- Rivets: High tensile aluminum aircraft quality rivets.
- Casters: 5" diameter swivel ball bearing, non-marking hard rubber tires.
- Shipped knocked down F.O.B. factory, factory assembled optional.

Optional Accessories:

- Donut Bumpers
- Tray Stopper
- Sanitary Rack Cover
- Two (2) Locking Casters

NO.	SLIDE SPACING	CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
S-410	5"	11-18"x26"	68"	18"	28"	40
S-411	3"	18-18"x26"	68"	18"	28"	46
S-412	3"	20-18"x26"	72"	18"	28"	50
S-413	2"	24-18"x26"	68"	18"	28"	52
S-414	1 $\frac{1}{2}$ "	30-18"x26"	68"	18"	28"	58

1-800-790-1948 • Visit us online www.alexanderindustries.net

HEAVY DUTY UNIVERSAL OPEN RACK

NSF®



HDU-400

Heavy Duty Universal Open Rack

For

18" x 26" Bun Pans

14" x 18" Trays

12" x 20" Pans

- This rack accommodates 18" x 26" bun pans, 20" x 24" trays, 12" x 20" x 2½" or 4" deep pans.
- 1½" square aluminum upright and cross member grade 6061-T6 extrusion.
- Tray slides 1" x 4" .093 aluminum.
- All welded construction.
- Casters: 5" diameter swivel ball bearing, non-marking hard rubber tires.
- Shipped set up F.O.B. factory.
- 1200 lb. load capacity.

Optional Accessories:

- Donut Bumpers
- Tray Stopper
- Sanitary Rack Cover
- Two (2) Locking Casters

NO.	SLIDE SPACING	CAPACITY	O/A HEIGHT	O/A DEPTH	O/A WIDTH	APPROX. SHIP WT.
HDU-400	5"	12	73"	26"	24½"	45

1-800-790-1948 • Visit us online www.alexanderindustries.net